

ANLABY WITH ANLABY COMMON PARISH COUNCIL

DEFIBRILLATOR GRANT ELIGIBILITY CRITERIA

1. The defibrillator must be freely accessible to the public 24/7 and be placed externally (in a locked and coded cabinet,) within the confines of the Anlaby and Anlaby Common Parish Boundaries.
2. The cabinet needs an electricity supply so that the defibrillator is at the right temperature in cold weather, to prevent the battery and pads from deteriorating.
3. There must be a clear need for the device. Priority for funding will be given to areas that have the furthest distance to travel before finding a public access defibrillator.
4. There must be a commitment to train staff and volunteers in CPR.
5. There must be a clear need for grant funding to purchase a defibrillator.
6. You (the Applying Organisation) must have a nominated person responsible for maintaining the defibrillator and ensuring all ongoing maintenance and storage requirements are kept up to date.
7. The defibrillator must be purchased, installed and operational within three months of a grant being allocated.
8. It is recommended that the defibrillator be publicly advertised by the Applying Organisation and the assistance of The Parish Council noted, at or around the time it becomes operational.
9. The Applying Organisation commit to the defibrillator being available for use for the full period of its warranty, which should be no less than 3 years from the date of it becoming operational.
10. The Defibrillator must be registered with the [The Circuit - the national defibrillator network](#), by the Apply Organisation within a week of installation. The Applying Organisation will ensure the registration remains contemporary throughout the defibrillator's operational period.
11. The Applying Organisation agrees to assume full responsibility for all aspects of your defibrillator and for compliance with all relevant laws, regulations, and standards of care applicable.
12. The Donation Agreement must be signed by a person who has authority to legally bind the Applying Organisation in receiving the Grant and will need to return the signed Agreement to the Parish Council within 30 days of being notified the Applying Organisation has been selected as a grant recipient.

ANLABY WITH ANLABY COMMON PARISH COUNCIL

DEFIBRILLATOR GRANT ELIGIBILITY CRITERIA

A completed application will include:

- 13. The proposed full address and location of the defibrillator.

- 14. The proposed brand and model.

- 15. Named Individual responsible for maintaining the defibrillator.

- 16. Confirmation that the Defibrillator Grant Eligibility Criteria will be complied with.

- 17. Compliance with Parish Council Grants Procedure.

Signed by

Applying Organisation

Date